

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES

Cotton Quality Report



Classings Through March 27, 2008

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through March 27, 2008

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	-	3	73	560	4,808	25,299	112,195	355,432	498,370
	3	-	3	135	864	4,899	20,566	76,328	211,009	313,804
	4	-	-	24	152	689	2,392	6,956	16,507	26,720
	5	-	-	-	-	30	140	281	661	1,112
	6	-	-	-	-	1	2	7	13	23
	7	-	-	-	-	-	1	-	1	2
	TOTAL----	-	6	232	1,576	10,427	48,400	195,767	583,623	840,031
31	1-2	-	-	13	146	1,355	6,058	18,336	43,676	69,584
	3	-	13	308	2,575	19,571	85,352	278,064	529,791	915,674
	4	-	4	230	1,385	7,401	28,882	95,855	212,931	346,688
	5	-	1	39	183	929	2,926	7,835	16,709	28,622
	6	-	2	7	26	108	341	669	1,385	2,538
	7	-	-	-	1	10	23	62	87	183
	TOTAL----	-	20	597	4,316	29,374	123,582	400,821	804,579	1,363,289
41	1-2	-	-	2	26	281	1,575	4,064	6,158	12,106
	3	-	-	114	1,462	15,918	78,664	263,205	445,129	804,492
	4	-	-	171	1,262	10,399	59,654	267,582	681,214	1,020,282
	5	-	2	102	507	2,249	7,722	31,643	100,197	142,422
	6	-	-	13	98	536	1,404	4,026	11,719	17,796
	7	-	-	-	16	103	282	684	1,675	2,760
	TOTAL----	-	2	402	3,371	29,486	149,301	571,204	1,246,092	1,999,858
51	1-2	-	-	1	4	23	246	420	330	1,024
	3	-	-	11	192	1,694	7,605	17,381	23,426	50,309
	4	-	-	10	230	1,942	9,734	31,065	63,321	106,302
	5	-	-	8	116	744	2,312	7,796	22,901	33,877
	6	-	-	4	23	151	499	1,403	5,148	7,228
	7	-	-	-	3	39	141	372	1,169	1,724
	TOTAL----	-	-	34	568	4,593	20,537	58,437	116,295	200,464
61	1-2	-	-	-	-	-	1	-	2	3
	3	-	-	-	7	34	30	31	33	135
	4	-	-	-	4	23	34	126	202	389
	5	-	-	-	1	3	43	127	209	383
	6	-	-	-	-	2	54	70	128	254
	7	-	-	-	1	-	5	13	18	37
	TOTAL----	-	-	-	13	62	167	367	592	1,201
71	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	1	-	3	4
	4	-	-	-	-	1	-	-	1	2
	5	-	-	-	-	-	-	2	7	9
	6	-	-	-	-	-	-	-	1	1
	7	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	1	1	2	12	16
12 & 22	1-2	-	1	4	49	273	910	3,387	9,004	13,628
	3	-	11	29	119	705	2,292	6,641	15,332	25,129
	4	-	-	5	30	139	635	1,451	2,983	5,243
	5	-	-	-	5	11	36	86	372	510
	6	-	-	-	-	2	3	8	29	42
	7	-	-	-	-	-	-	-	1	1
	TOTAL----	-	12	38	203	1,130	3,876	11,573	27,721	44,553
32	1-2	-	6	4	26	181	481	807	1,185	2,690
	3	-	29	87	463	3,224	14,610	23,537	24,767	66,717
	4	-	-	74	388	1,860	7,786	15,192	21,606	46,906
	5	-	-	6	68	229	885	1,979	3,239	6,406
	6	-	-	-	5	22	133	315	487	962
	7	-	-	-	-	5	25	55	95	180
	TOTAL----	-	35	171	950	5,521	23,920	41,885	51,379	123,861
42	1-2	-	-	1	13	238	1,073	1,407	1,022	3,754
	3	-	-	35	458	7,868	44,573	75,614	90,280	218,828
	4	-	-	76	630	5,297	32,801	85,911	163,364	288,079
	5	-	-	49	257	862	4,745	15,898	42,377	64,188
	6	-	-	8	38	144	660	1,823	4,834	7,507
	7	-	-	1	10	33	127	236	569	976
	TOTAL----	-	-	170	1,406	14,442	83,979	180,889	302,446	583,332
52	1-2	-	-	1	12	98	207	242	177	737
	3	-	-	16	199	2,722	8,535	13,343	17,022	41,837
	4	-	-	30	269	2,797	10,299	23,392	47,144	83,931
	5	-	-	16	107	825	2,773	7,745	21,081	32,547
	6	-	-	1	22	229	670	1,674	4,071	6,667
	7	-	-	-	2	61	188	354	804	1,409
	TOTAL----	-	-	64	611	6,732	22,672	46,750	90,299	167,128

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through March 27, 2008

QUALITY	LEAF	STAPLE								
COLOR		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	-	-	-	-	-	2	2
	3	-	-	-	1	36	76	98	134	345
	4	-	-	-	1	40	154	434	737	1,366
	5	-	-	-	-	20	63	278	623	984
	6	-	-	-	-	21	20	59	96	196
	7	-	-	-	2	6	25	34	38	105
TOTAL----		-	-	-	4	123	338	903	1,630	2,998
13 & 23	1-2	-	-	-	1	5	44	317	1,002	1,369
	3	-	-	-	5	50	216	568	1,440	2,279
	4	-	-	-	1	8	30	111	205	355
	5	-	-	-	-	-	1	7	24	32
	6	-	-	-	-	-	-	1	-	1
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	7	63	291	1,004	2,671	4,036
33	1-2	-	-	-	-	19	91	136	311	557
	3	-	-	2	47	479	2,127	2,474	2,559	7,688
	4	-	-	6	27	182	847	1,326	1,375	3,763
	5	-	-	1	6	26	102	181	281	597
	6	-	-	-	-	5	17	29	40	91
	7	-	-	-	-	2	2	3	7	14
TOTAL----		-	-	9	80	713	3,186	4,149	4,573	12,710
43	1-2	-	-	-	18	244	494	385	239	1,380
	3	-	-	4	232	4,768	20,646	20,906	12,336	58,892
	4	-	-	13	179	2,506	13,143	19,652	17,116	52,609
	5	-	-	3	34	220	1,393	2,656	3,162	7,468
	6	-	-	1	33	68	217	381	413	1,113
	7	-	-	4	48	67	71	96	139	425
TOTAL----		-	-	25	544	7,873	35,964	44,076	33,405	121,887
53	1-2	-	-	-	3	66	91	94	85	339
	3	-	-	-	54	884	2,444	2,722	3,208	9,312
	4	-	-	1	63	804	3,046	5,558	8,810	18,282
	5	-	-	-	23	236	798	2,066	3,429	6,552
	6	-	-	-	4	29	109	387	602	1,131
	7	-	-	-	-	9	58	89	123	279
TOTAL----		-	-	1	147	2,028	6,546	10,916	16,257	35,895
63	1-2	-	-	-	-	1	3	-	14	18
	3	-	-	-	-	9	10	39	79	137
	4	-	-	1	6	35	37	165	826	1,070
	5	-	-	-	8	9	27	94	640	778
	6	-	-	-	4	1	7	24	49	85
	7	-	-	-	-	-	3	8	7	18
TOTAL----		-	-	1	18	55	87	330	1,615	2,106
24-54	1-7	-	-	-	8	185	571	1,119	1,936	3,819
25-35	1-7	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	15	38	64	121	418	656
All Colors	8 2/	-	-	2	20	38	153	347	581	1,141
TOTAL, ALL----		-	75	1,746	13,857	112,884	523,635	1,570,660	3,286,124	5,508,981

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through
March 27, 2008

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	779,163	1,053,266	1,047,013	291,027	81,900	11,778	3,762,517
	3	432,161	623,735	738,026	259,348	73,114	7,628	2,447,816
	4	29,781	34,223	33,386	11,956	3,471	427	139,964
	5	1,452	1,632	1,312	379	89	19	5,995
	6	45	68	46	8	4	-	194
	7	5	2	-	1	-	-	10
TOTAL----		1,242,607	1,712,926	1,819,783	562,719	158,578	19,852	6,356,496
31	1-2	77,670	81,318	76,218	30,834	25,220	8,073	368,917
	3	568,669	414,449	304,117	97,569	32,205	8,239	2,340,922
	4	267,826	185,110	115,325	37,514	9,993	1,466	963,922
	5	25,818	22,830	13,703	3,624	1,077	167	95,841
	6	2,368	2,585	1,510	227	83	7	9,318
	7	196	194	113	18	8	1	713
TOTAL----		942,547	706,486	510,986	169,786	68,586	17,953	3,779,633
41	1-2	6,070	4,091	3,105	978	795	207	27,352
	3	366,273	168,522	82,904	20,535	4,037	742	1,447,505
	4	816,197	435,759	258,541	78,106	12,453	840	2,622,178
	5	182,300	140,932	82,331	22,321	4,441	405	575,152
	6	26,587	30,590	17,813	2,246	353	56	95,441
	7	4,080	5,450	3,855	450	52	15	16,662
TOTAL----		1,401,507	785,344	448,549	124,636	22,131	2,265	4,784,290
51	1-2	162	79	29	5	3	-	1,302
	3	17,234	6,195	2,861	772	59	3	77,433
	4	69,534	39,340	43,854	14,322	102	507	273,961
	5	42,861	40,768	38,038	10,560	1,190	42	167,336
	6	13,298	19,226	13,134	1,706	165	16	54,773
	7	3,273	5,658	5,023	465	35	4	16,182
TOTAL----		146,362	111,266	102,939	27,830	2,637	101	591,599
61	1-2	2	2	1	-	-	-	8
	3	23	11	4	1	-	-	174
	4	179	100	137	23	-	-	828
	5	294	374	543	96	1	-	1,691
	6	107	168	288	61	3	-	881
	7	15	24	44	16	-	-	136
TOTAL----		620	679	1,017	197	4	-	3,718
71	1-2	1	-	-	-	-	-	1
	3	1	3	1	-	-	-	9
	4	1	-	4	3	-	-	10
	5	-	1	5	1	-	-	16
	6	2	2	3	-	-	-	8
	7	1	2	1	-	1	-	5
TOTAL----		6	8	14	4	1	-	49
12 & 22	1-2	16,066	17,214	13,287	2,828	1,053	301	64,377
	3	24,625	25,169	21,208	5,069	924	112	102,236
	4	4,349	3,060	2,011	498	128	11	15,300
	5	495	311	182	37	2	1	1,538
	6	36	16	16	8	-	-	118
	7	1	2	-	-	-	-	4
TOTAL----		45,572	45,772	36,704	8,440	2,107	425	183,573
32	1-2	1,529	1,459	1,830	946	1,105	292	9,851
	3	21,260	14,017	8,511	3,361	1,693	748	116,307
	4	22,821	13,156	5,657	1,648	489	173	90,850
	5	4,304	3,310	1,634	294	74	26	16,048
	6	616	624	288	19	8	-	2,517
	7	144	177	35	4	-	-	540
TOTAL----		50,674	32,743	17,955	6,272	3,369	1,239	236,113
42	1-2	424	213	251	175	230	30	5,077
	3	74,793	25,266	5,528	1,569	745	255	326,984
	4	199,176	90,194	33,517	6,591	1,304	278	619,139
	5	69,457	44,204	17,645	4,355	1,025	146	201,020
	6	8,523	7,438	3,214	395	67	4	27,148
	7	1,008	979	522	67	10	-	3,562
TOTAL----		353,381	168,294	60,677	13,152	3,381	713	1,182,930
52	1-2	101	22	17	7	7	-	891
	3	11,009	3,688	1,204	167	49	14	57,968
	4	57,124	31,420	24,019	3,701	310	17	200,522
	5	39,315	30,338	23,726	5,490	860	64	132,340
	6	9,047	8,551	4,527	750	106	5	29,653
	7	1,736	1,939	1,478	170	11	-	6,743
TOTAL----		118,332	75,958	54,971	10,285	1,343	100	428,117

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through March 27, 2008

QUALITY	LEAF	STAPLE							
COLOR		35	36	37	38	39	40 &+	35 to 40+	TOTAL
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	2	1	-	-	-	3	5
	3	115	60	28	3	-	-	206	551
	4	656	709	612	68	5	-	2,050	3,416
	5	830	1,121	990	135	12	-	3,088	4,072
	6	202	279	482	67	7	-	1,037	1,233
	7	39	27	102	17	2	1	188	293
TOTAL----		1,842	2,198	2,215	290	26	1	6,572	9,570
13 & 23	1-2	1,805	2,125	1,672	238	21	1	5,862	7,231
	3	2,779	2,973	2,768	582	102	8	9,212	11,491
	4	300	267	233	91	8	-	899	1,254
	5	24	26	21	10	3	-	84	116
	6	3	4	7	1	-	-	15	16
	7	-	-	-	-	-	-	-	-
TOTAL----		4,911	5,395	4,701	922	134	9	16,072	20,108
33	1-2	615	789	503	77	16	11	2,011	2,568
	3	3,202	3,745	3,411	883	192	28	11,461	19,149
	4	1,540	1,413	1,071	412	88	13	4,537	8,300
	5	374	326	239	63	20	12	1,034	1,631
	6	64	62	32	1	1	-	160	251
	7	19	12	5	-	-	-	36	50
TOTAL----		5,814	6,347	5,261	1,436	317	64	19,239	31,949
43	1-2	146	79	53	12	11	3	304	1,684
	3	6,216	2,168	791	194	68	11	9,448	68,340
	4	11,828	5,381	2,515	911	214	34	20,883	73,492
	5	3,025	1,981	932	396	150	16	6,500	13,968
	6	404	284	144	37	9	-	878	1,991
	7	139	84	24	8	1	-	256	681
TOTAL----		21,758	9,977	4,459	1,558	453	64	38,269	160,156
53	1-2	58	15	6	4	1	-	84	423
	3	2,042	712	310	57	12	3	3,136	12,448
	4	10,581	6,930	4,694	972	120	25	23,322	41,604
	5	6,590	5,669	4,200	942	157	15	17,573	24,125
	6	863	772	420	128	42	8	2,233	3,364
	7	155	145	105	17	13	7	442	721
TOTAL----		20,289	14,243	9,735	2,120	345	58	46,790	82,685
63	1-2	1	2	6	-	-	-	9	27
	3	84	49	21	-	1	-	155	292
	4	839	950	591	65	4	-	2,449	3,519
	5	1,188	1,473	1,380	193	13	1	4,248	5,026
	6	171	237	244	51	8	-	711	796
	7	24	32	13	6	1	-	76	94
TOTAL----		2,307	2,743	2,255	315	27	1	7,648	9,754
24-54	1-7	2,245	1,626	1,208	311	82	9	5,481	9,300
25-35	1-7	-	-	-	-	-	-	-	-
81-85 1/	1-7	535	596	473	76	29	71	1,780	2,436
All Colors	8 2/	775	989	556	140	47	5	2,512	3,653
TOTAL, ALL----		4,362,084	3,683,590	3,084,458	930,489	263,597	42,930	12,367,148	17,876,129
EXTRANEEOUS MATTER		Average Staple -----							35.3
		Percent Tenderable -----							70.7
Bark - Level 1		637,256							
Bark - Level 2		291							
Grass - Level 1		26,764							
Grass - Level 2		261							
Prep - Level 1		11,898							
Prep - Level 2		204							
Other - Level 1		17,760							
Other - Level 2		100							

17,876,129 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	*	*	0.1	0.6	2.0	4.4	5.9	5.9	1.6	0.5	0.1	21.0
	3	-	-	*	*	*	0.1	0.4	1.2	2.4	3.5	4.1	1.5	0.4	*	13.7
	4	-	-	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	0.1	0.3	1.1	3.3	7.0	9.6	10.2	3.1	0.9	0.1	35.6
31	1-2	-	-	*	*	*	*	0.1	0.2	0.4	0.5	0.4	0.2	0.1	*	2.1
	3	-	*	*	*	0.1	0.5	1.6	3.0	3.2	2.3	1.7	0.5	0.2	*	13.1
	4	-	*	*	*	*	0.2	0.5	1.2	1.5	1.0	0.6	0.2	0.1	*	5.4
	5	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	0.2	0.7	2.2	4.5	5.3	4.0	2.9	0.9	0.4	0.1	21.1
41	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	*	*	0.1	0.4	1.5	2.5	2.0	0.9	0.5	0.1	*	*	8.1
	4	-	-	*	*	0.1	0.3	1.5	3.8	4.6	2.4	1.4	0.4	0.1	*	14.7
	5	-	*	*	*	*	*	0.2	0.6	1.0	0.8	0.5	0.1	*	*	3.2
	6	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.5
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	*	*	*	0.2	0.8	3.2	7.0	7.8	4.4	2.5	0.7	0.1	*	26.8
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
	4	-	-	*	*	*	*	0.2	0.4	0.4	0.2	0.2	0.1	*	*	1.5
	5	-	-	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.9
	6	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	-	*	*	*	0.1	0.3	0.7	0.8	0.6	0.6	0.2	*	*	3.3
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	-	-	*	*	-	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.6
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.2	*	*	*	1.0
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	0.7
	4	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	1.3
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	0.2	0.4	0.5	0.4	0.1	*	*	*	*	1.8
	4	-	-	*	*	*	0.2	0.5	0.9	1.1	0.5	0.2	*	*	*	3.5
	5	-	-	*	*	*	*	0.1	0.2	0.4	0.2	0.1	*	*	*	1.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	0.1	0.5	1.0	1.7	2.0	0.9	0.3	0.1	*	*	6.6
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	4	-	-	*	*	*	0.1	0.1	0.3	0.3	0.2	0.1	*	*	*	1.1
	5	-	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.7
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	0.1	0.3	0.5	0.7	0.4	0.3	0.1	*	*	2.4

* Less than 0.05 percent.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.4
	4	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.4
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	*	*	*	0.2	0.2	0.2	0.1	0.1	*	*	*	*	0.9
53	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.5
63	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL----		-	*	*	0.1	0.6	2.9	8.8	18.4	24.4	20.6	17.3	5.2	1.5	0.2	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	3.6															
Bark - Level 2	*															
Grass - Level 1	0.1															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	*															
Other - Level 1	0.1															
Other - Level 1	*															

17,876,129 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Average Staple 35.3
Percent Tenderable 70.7

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	-	0.3
	3	-	-	-	*	0.1	0.5	0.9	0.8	0.5	0.1	*	*	*	-	2.9
	4	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.2	0.6	1.2	1.0	0.6	0.2	0.1	*	*	-	3.9
31	1-2	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	-	0.3
	3	-	-	*	0.1	0.7	3.1	6.5	6.8	4.1	1.3	0.3	*	*	-	23.1
	4	-	-	*	0.1	0.7	2.3	4.6	5.2	3.6	1.5	0.5	*	*	*	18.5
	5	-	-	*	*	*	0.2	0.5	0.6	0.4	0.2	0.1	*	-	-	2.0
	6	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	0.2	1.5	5.8	11.7	12.7	8.2	3.1	0.9	0.1	*	*	44.2
41	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	0.4	1.6	3.2	3.3	1.8	0.6	0.2	*	-	-	11.0
	4	-	-	*	*	0.5	2.3	4.9	6.3	4.5	1.7	0.5	*	*	*	20.9
	5	-	-	*	*	*	0.3	0.7	1.0	0.8	0.4	0.2	*	*	-	3.4
	6	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.7
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	TOTAL----	-	-	*	0.1	1.0	4.2	8.9	10.8	7.3	2.9	1.0	0.1	*	*	36.2
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	*	0.1	0.1	0.2	0.1	0.1	*	-	-	-	0.7
	4	-	-	*	*	*	0.2	0.4	0.4	0.3	0.1	*	*	*	*	1.6
	5	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	-	-	0.5
	6	-	-	-	*	*	*	*	0.1	*	*	*	-	-	-	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	0.1	0.4	0.7	0.9	0.5	0.3	0.1	*	-	-	-	2.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	-	0.3
	4	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
32	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	0.1	0.2	0.4	0.3	0.2	*	*	-	-	-	1.3
	4	-	-	*	*	0.1	0.4	0.7	0.7	0.4	0.1	*	*	*	-	2.5
	5	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	-	0.6
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	TOTAL----	-	-	*	*	0.2	0.7	1.3	1.2	0.8	0.3	0.1	*	*	-	4.6
42	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	*	*	0.2	0.4	0.7	0.8	0.5	0.2	0.1	*	*	-	3.0
	5	-	-	*	*	*	0.1	0.3	0.3	0.3	0.2	0.1	*	*	-	1.3
	6	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.3
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	TOTAL----	-	-	*	0.1	0.2	0.7	1.2	1.4	1.0	0.5	0.2	*	*	-	5.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	0.1
	4	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.6
	5	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	0.1	0.2	0.2	0.3	0.2	0.1	*	-	-	-	1.0

* Less than 0.05 percent.

Table 3. — **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	-	*	*	-	*	-	-	-	*
	5	-	-	-	-	*	-	*	*	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	0.1	*	*	*	*	-	-	-	0.2
33	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
43	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.2	0.1	0.1	0.1	*	-	-	-	0.6
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	*	*	*	*	*	-	-	-	0.2
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL, ALL----		-	-	*	0.5	3.3	12.8	25.9	28.7	18.7	7.5	2.4	0.2	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.3															
Bark - Level 2	*															
Grass - Level 1	0.3															
Grass - Level 2	*															
Prep - Level 1	0.3															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

Average Staple 33.8
Percent Tenderable 50.9

397,066 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- **Arizona** : Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.9	5.7	16.0	15.5	7.9	0.9	0.1	*	47.0
	3	-	-	-	-	*	*	0.1	0.7	2.5	3.5	3.3	0.8	0.2	*	11.2
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.1	1.0	6.4	18.6	19.2	11.3	1.7	0.3	*	58.7
31	1-2	-	-	-	-	*	*	0.2	1.0	2.9	3.5	2.3	0.3	*	*	10.3
	3	-	-	-	*	*	*	0.2	0.9	3.1	4.6	4.0	1.2	0.3	*	14.3
	4	-	-	-	-	*	*	0.1	0.2	0.6	0.8	0.6	0.3	0.1	*	2.7
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	0.1	0.4	2.1	6.7	9.0	7.0	1.9	0.5	0.1	27.9
41	1-2	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6
	3	-	-	-	-	*	*	*	0.2	1.0	1.3	0.8	0.2	*	*	3.7
	4	-	-	-	*	*	*	0.1	0.3	0.5	0.6	0.4	0.1	*	*	2.1
	5	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.7
	6	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	-	-	*	*	*	0.2	0.8	2.1	2.4	1.5	0.4	0.1	*	7.5
51	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	0.1	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
TOTAL----		-	-	-	-	*	*	*	0.2	0.2	0.1	0.1	*	*	-	0.6
61	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	0.2	0.6	0.4	0.1	*	*	-	1.4
	3	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	0.7
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.3	0.8	0.8	0.2	*	*	-	2.2
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.5
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	0.2	0.4	0.4	0.1	*	*	*	1.2
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	*	*	1.0
52	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	0.1
TOTAL----		-	-	-	-	-	-	0.1	0.1	*	*	*	*	*	-	0.2

* Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
33	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
43	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.2
53	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	*	-	*	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
TOTAL, ALL-----		-	-	-	*	*	0.2	2.0	10.5	29.3	32.3	20.5	4.1	1.0	0.2	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		4.1														
Bark - Level 2		*														
Grass - Level 1		0.3														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		0.3														
Other - Level 1		*														

480,188 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	0.2	0.1	*	*	*	-	0.4
31	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	*	*	0.1	0.7	1.6	2.2	1.0	0.2	*	*	-	5.8
	4	-	-	-	-	*	*	0.2	1.0	2.1	1.1	0.2	*	*	*	4.5
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.9	2.7	4.4	2.2	0.5	*	*	*	10.7
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.8	2.9	4.8	2.2	0.4	*	*	-	11.2
	4	-	-	-	-	*	0.1	1.2	6.8	14.0	6.8	1.4	0.1	*	*	30.3
	5	-	-	-	*	*	*	0.1	1.1	3.3	2.7	1.0	0.1	*	*	8.3
	6	-	-	-	-	*	*	*	0.1	0.3	0.4	0.2	*	*	*	1.0
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	TOTAL----	-	-	-	*	*	0.1	2.1	10.9	22.4	12.0	3.1	0.3	*	*	51.0
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	*	-	0.6
	4	-	-	-	-	*	*	0.1	0.6	1.3	0.6	0.1	*	*	*	2.7
	5	-	-	-	-	*	*	*	0.3	0.9	0.8	0.3	*	*	*	2.3
	6	-	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	*	0.8
	7	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.1
	TOTAL----	-	-	-	-	*	*	0.1	1.1	2.7	1.9	0.6	0.1	*	*	6.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.3
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.5	0.2	*	*	*	-	1.2
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	0.1	0.6	1.8	2.3	0.8	0.1	*	*	-	5.6
	4	-	-	-	*	*	0.1	0.7	3.1	5.2	2.1	0.2	*	*	-	11.4
	5	-	-	-	*	*	*	0.1	0.6	1.5	0.9	0.2	*	*	*	3.4
	6	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	*	*	0.2	1.4	5.6	9.1	4.0	0.6	*	*	*	21.0
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	-	0.1	0.3	0.3	0.1	*	*	*	-	0.8
	4	-	-	-	*	*	*	0.2	1.0	1.5	0.5	0.1	*	*	-	3.3
	5	-	-	-	*	*	*	0.1	0.4	1.0	0.5	0.1	*	*	-	2.2
	6	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	TOTAL----	-	-	-	*	*	0.4	1.8	3.1	1.4	0.3	*	*	*	*	7.0

* Less than 0.05 percent

Table 5. -- **Arkansas** : Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER																
Bark - Level 1	0.1															
Bark - Level 2	-															
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

1,807,084 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- **California** : Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	0.1	0.9	3.5	7.3	14.8	7.9	5.2	1.4	41.0
	3	-	-	-	-	-	-	*	0.1	0.5	1.9	2.8	1.5	0.9	0.3	7.9
	4	-	-	-	-	-	-	-	*	*	*	0.1	-	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	-	0.1	0.9	4.1	9.2	17.6	9.3	6.1	1.6	49.1
31	1-2	-	-	-	-	*	*	0.1	0.7	1.6	2.5	5.7	3.7	3.7	1.2	19.3
	3	-	-	-	-	-	*	*	0.3	1.4	3.9	5.8	4.0	2.6	1.1	19.0
	4	-	-	-	-	-	*	-	*	0.2	0.6	0.7	0.3	0.2	0.1	2.0
	5	-	-	-	-	-	-	-	-	*	0.1	0.1	*	*	-	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	1.0	3.2	7.1	12.2	8.0	6.5	2.4	40.5
41	1-2	-	-	-	-	-	*	*	0.2	0.3	0.3	0.3	0.1	0.1	*	1.3
	3	-	-	-	-	*	*	*	0.2	0.6	0.9	1.1	0.7	0.4	0.1	3.9
	4	-	-	-	-	-	*	*	*	0.2	0.3	0.2	0.1	0.1	*	1.1
	5	-	-	-	-	-	-	*	*	0.1	0.3	0.1	*	*	*	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.4	1.2	1.8	1.7	0.9	0.6	0.2	6.9
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
61	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	0.1	0.1	0.3	0.2	0.1	*	0.8
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.1	0.4	0.2	0.1	0.1	1.0
32	1-2	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.2	*	0.5
	3	-	-	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	0.7
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	0.1	0.3	0.4	0.4	0.2	1.3
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	0.4
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	0.2	0.2	0.2	0.1	0.7
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 6. -- **California** : Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER																
Bark - Level 1	0.9															
Bark - Level 2	-															
Grass - Level 1	0.4															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	0.2															
Other - Level 1	-															
647,840 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.																

Average Staple 37.2
Percent Tenderable 94.0

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	-	-	0.8
	4	-	-	-	-	*	-	*	*	*	0.1	0.1	*	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.3	0.4	0.2	*	-	-	1.0
31	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	0.7	2.9	5.6	5.6	3.3	0.7	*	*	-	18.9
	4	-	-	-	-	*	0.2	1.0	2.1	2.9	2.8	1.2	*	*	-	10.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	*	*	0.1	1.0	3.9	7.8	8.5	6.1	2.0	0.1	*	-	29.5
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	0.1	1.3	5.2	8.0	4.5	1.0	0.1	*	*	*	20.3
	4	-	-	*	*	0.1	1.4	6.0	13.3	11.6	4.0	0.9	*	-	-	37.4
	5	-	-	-	-	*	*	0.1	0.4	0.5	0.4	0.2	*	-	-	1.7
	6	-	-	-	-	-	*	*	*	*	0.1	*	*	-	-	0.2
TOTAL----		-	-	*	*	0.2	2.7	11.4	21.7	16.6	5.6	1.3	0.1	*	*	59.6
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.7
	4	-	-	-	-	*	0.2	1.0	1.5	0.7	0.1	*	*	-	-	3.5
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
TOTAL----		-	-	-	-	*	0.3	1.3	1.9	0.8	0.2	0.1	*	-	-	4.6
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	-	-	-	-	-	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	-	-	0.5
	4	-	-	-	-	*	0.1	0.2	0.1	0.1	*	*	*	*	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.2	0.4	0.3	0.2	0.1	*	*	*	-	1.2
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
	4	-	-	-	-	*	0.2	0.3	0.5	0.4	0.2	*	-	-	-	1.6
	5	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
TOTAL----		-	-	-	-	*	0.2	0.5	0.7	0.6	0.4	0.2	*	-	-	2.6
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	-	-	*	*	*	-	-	-	-	-
	4	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.5
	5	-	-	-	*	*	*	*	0.1	*	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	-	0.8

* Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	*	*	*	-	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	*	*	0.4	4.6	18.0	32.9	27.3	12.9	3.7	0.2	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.7															
Bark - Level 2	-															
Grass - Level 1	0.2															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

102,252 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Average Staple 34.4
Percent Tenderable 61.4

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	0.1	0.3	0.5	0.2	*	*	*	*	1.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	*	0.1	0.4	0.6	0.3	*	*	*	*	1.4
31	1-2	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	3	-	-	*	*	0.1	0.9	4.0	9.7	9.9	3.5	0.5	*	*	*	28.8
	4	-	-	*	*	*	0.1	0.5	1.7	3.1	2.2	0.7	*	*	*	8.3
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	TOTAL----	-	-	*	*	0.2	1.0	4.6	11.6	13.1	5.8	1.3	0.1	*	*	37.7
41	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	*	*	0.2	1.7	6.7	10.9	6.4	1.4	0.2	*	*	*	27.5
	4	-	-	*	*	0.1	0.8	3.7	8.6	8.7	3.7	1.0	0.1	*	*	26.6
	5	-	-	-	*	*	*	0.2	0.3	0.5	0.5	0.3	*	*	*	1.9
	6	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	0.3	2.5	10.6	19.8	15.6	5.6	1.5	0.1	*	*	56.4
51	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.7
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	1.5
	4	-	-	*	*	*	0.1	0.3	0.5	0.4	0.1	*	*	-	*	0.3
	5	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	0.2	0.6	0.8	0.6	0.3	0.1	*	*	*	2.6
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	-	0.3
42	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
	4	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
	5	-	-	*	*	*	*	*	0.1	*	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	-	1.1
52	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3

* Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
43	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
	6	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL----		-	-	*	0.1	0.6	3.9	16.3	33.1	30.4	12.3	3.1	0.2	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.4															Average Staple 34.4
Bark - Level 2	-															Percent Tenderable 74.7
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

1,620,527 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	-	-	-	-	0.2	0.5	1.0	0.9	0.6	0.1	*	-	3.5
	3	-	-	*	0.2	0.6	1.1	1.9	2.4	3.2	2.4	2.5	0.2	*	-	14.5
	4	-	-	-	*	0.1	0.3	0.9	1.0	1.1	0.7	1.1	0.1	-	-	5.4
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	0.2	0.8	1.5	3.1	4.0	5.3	4.1	4.3	0.5	*	-	23.7
31	1-2	-	-	-	-	-	*	-	0.1	0.3	0.3	0.1	*	-	-	1.0
	3	-	-	*	0.2	0.6	1.1	1.2	2.4	3.7	5.4	4.4	1.0	0.3	*	20.2
	4	-	-	-	*	0.2	1.2	2.5	3.8	4.6	4.0	4.4	0.5	*	-	21.3
	5	-	-	-	*	-	0.3	0.7	1.1	2.0	1.5	1.4	0.1	*	-	7.1
	6	-	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	0.8
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	TOTAL----	-	-	*	0.3	0.8	2.7	4.5	7.4	10.8	11.6	10.5	1.7	0.3	*	50.5
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	0.3	0.2	0.5	0.5	0.2	*	-	-	1.9
	4	-	-	-	*	-	0.2	0.5	1.0	1.4	1.3	0.9	0.1	*	-	5.4
	5	-	-	-	-	-	0.1	0.5	1.6	1.9	1.4	0.7	0.2	*	-	6.3
	6	-	-	-	-	-	-	0.1	0.7	1.4	0.9	0.3	*	-	-	3.4
	7	-	-	-	-	-	-	*	0.2	0.3	0.6	0.2	-	-	-	1.3
	TOTAL----	-	-	-	*	*	0.4	1.4	3.7	5.4	4.7	2.4	0.3	*	-	18.3
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	-	-	-	*	*	-	-	-
	4	-	-	-	-	-	*	*	-	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	0.1	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	-	-	*	0.2	0.3	0.1	*	*	-	-	0.6
	7	-	-	-	-	-	-	-	*	0.3	0.2	*	-	-	-	0.6
	TOTAL----	-	-	-	-	-	*	0.1	0.3	0.6	0.3	0.1	*	-	-	1.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.2
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	0.3
32	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-
	3	-	-	-	-	-	*	*	0.1	0.2	0.4	0.1	*	-	-	0.9
	4	-	-	-	-	-	*	*	0.1	0.4	0.2	0.2	*	-	-	1.0
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	*	0.1	0.2	0.7	0.8	0.5	0.1	-	-	2.4
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	0.1	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	0.4
	6	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	7	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
	TOTAL----	-	-	-	-	-	*	0.2	0.3	0.4	0.2	*	*	-	-	1.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1

* Less than 0.05 percent.

Table 9. -- **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	0.4	1.6	4.7	9.2	16.1	23.7	22.7	18.5	2.7	0.4	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	15.2															
Bark - Level 2	*															
Grass - Level 1	*															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	0.1															
Other - Level 1	-															

50,026 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Average Staple 35.1
Percent Tenderable 59.0

Table 10. -- **Louisiana** : Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
31	1-2	-	-	-	-	-	*	*	0.1	*	*	*	*	*	*	0.2
	3	-	-	-	-	*	0.3	2.5	5.6	3.6	2.5	1.0	*	*	*	15.6
	4	-	-	-	-	*	*	0.6	2.3	2.3	1.6	1.0	*	*	*	7.9
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.4	3.1	8.0	6.1	4.2	2.1	0.1	*	*	24.0
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	0.4	3.1	6.1	3.8	2.8	0.9	*	*	*	17.2
	4	-	-	-	-	*	0.4	4.4	13.3	11.5	7.8	4.4	0.4	*	*	42.2
	5	-	-	-	-	-	*	0.1	0.9	1.8	1.7	1.2	0.2	*	*	5.9
	6	-	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	*	0.9
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
TOTAL----		-	-	-	-	*	0.8	7.7	20.4	17.4	12.7	6.8	0.6	*	*	66.4
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	-	0.2	0.4	0.2	0.1	0.1	*	*	*	0.9
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.6
	6	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
TOTAL----		-	-	-	-	*	0.3	0.5	0.4	0.3	0.3	0.3	0.1	*	*	1.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	*	*	0.6
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	*	*	0.5
	4	-	-	-	-	*	*	0.1	0.7	1.1	0.7	0.3	*	*	*	2.9
	5	-	-	-	-	-	*	*	0.1	0.4	0.5	0.2	*	*	*	1.2
	6	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.2	0.9	1.7	1.4	0.5	*	*	*	4.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	*	*	0.7
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	0.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	0.2	0.4	0.4	0.3	0.1	*	*	*	1.4

* Less than 0.05 percent.

Table 10. -- **Louisiana**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	*	-	-	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.4
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
24-54	1-7	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	-	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL, ALL-----		-	-	-	-	*	1.2	11.5	30.7	26.5	19.1	9.9	0.9	*	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	0.3															Average Staple 34.8
Bark - Level 2	"															Percent Tenderable 78.9
Grass - Level 1	0.2															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

695,794 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.3
31	1-2	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.2
	3	-	-	-	-	0.1	0.8	3.0	4.4	3.1	1.3	0.4	-	-	-	13.1
	4	-	-	-	-	-	0.3	1.5	3.2	2.9	1.3	0.5	-	-	-	9.7
	5	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.1	1.1	4.6	7.8	6.1	2.6	0.9	0.1	-	-	23.3
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	0.1	0.6	2.0	3.2	2.5	1.1	0.4	-	-	-	9.9
	4	-	-	-	-	0.1	0.8	4.5	11.8	12.3	5.4	2.1	0.2	-	-	37.3
	5	-	-	-	-	-	0.1	0.7	2.2	3.1	1.7	0.9	0.2	-	-	8.9
	6	-	-	-	-	-	-	-	0.1	0.2	0.1	0.1	-	-	-	0.6
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.1	1.5	7.2	17.3	18.1	8.4	3.5	0.4	-	-	56.7
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	0.2	0.4	0.5	0.3	0.2	-	-	-	1.6
	5	-	-	-	-	-	-	0.1	0.4	0.7	0.5	0.4	-	-	-	2.3
	6	-	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	0.7
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	TOTAL----	-	-	-	-	-	-	0.1	0.4	1.0	1.4	1.0	0.7	0.1	-	4.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	-	0.7
	4	-	-	-	-	-	-	0.1	0.3	0.4	0.2	-	-	-	-	1.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	0.1	0.2	0.6	0.7	0.3	0.1	-	-	2.0
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.2	0.3	0.3	0.1	-	-	-	-	0.9
	4	-	-	-	-	-	0.1	0.7	1.9	2.3	1.0	0.2	-	-	-	6.2
	5	-	-	-	-	-	-	0.2	0.9	1.3	0.6	0.2	-	-	-	3.4
	6	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	0.3
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	0.2	1.1	3.2	4.1	1.8	0.4	-	-	-	10.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	0.1	0.1	0.2	0.1	-	-	-	-	0.5
	5	-	-	-	-	-	-	0.1	0.2	0.3	0.2	0.1	-	-	-	0.8
	6	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	0.1	0.4	0.6	0.3	0.1	-	-	-	1.6

* Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY		LEAF	STAPLE													
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
43	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	0.1	0.1	-	-	-	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
53	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	-	*	-	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL, ALL-----		-	*	*	*	0.3	3.0	13.7	30.5	31.2	14.6	5.9	0.7	0.1	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.2														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														
		Average Staple														
		Percent Tenderable														
		34.6														
		71.0														

1,270,284 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.4	0.6	0.3	*	*	*	*	-	1.4
	3	-	-	-	*	*	0.1	0.4	1.3	1.1	0.5	0.1	-	-	-	3.5
	4	-	-	-	-	*	*	*	0.2	0.3	0.2	*	*	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.9	2.0	1.7	0.8	0.1	*	-	-	5.7
31	1-2	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	-	-	0.5
	3	-	-	-	*	*	0.3	1.2	2.9	3.1	1.4	0.2	*	-	-	9.1
	4	-	-	-	*	*	0.1	0.4	1.8	3.4	1.7	0.3	*	-	-	7.7
	5	-	-	-	-	*	*	*	0.2	0.7	0.5	0.1	*	-	-	1.6
	6	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.5	1.8	5.1	7.3	3.7	0.7	*	-	-	19.1
41	1-2	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.2	1.1	2.8	3.8	1.5	0.3	*	-	-	9.7
	4	-	-	-	-	*	0.1	0.8	3.1	6.2	3.7	0.9	*	-	-	14.9
	5	-	-	-	-	*	*	0.2	0.9	3.1	2.8	0.9	*	-	-	7.9
	6	-	-	-	*	*	*	*	0.2	1.0	1.5	0.8	*	-	-	3.7
	7	-	-	-	*	*	*	*	*	0.2	0.3	0.3	*	-	-	0.8
TOTAL----		-	-	-	*	*	0.4	2.2	7.3	14.4	9.8	3.2	0.1	-	-	37.3
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.3	0.6	0.4	0.1	*	-	-	1.4
	5	-	-	-	-	*	*	*	0.1	0.6	0.8	0.3	*	-	-	2.0
	6	-	-	-	-	*	*	*	0.1	0.4	1.0	0.7	*	-	-	2.3
	7	-	-	-	-	*	*	*	*	0.1	0.4	0.4	*	*	*	1.1
TOTAL----		-	-	-	-	*	*	0.2	0.7	2.0	2.7	1.6	0.1	*	*	7.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	-	-	-	0.6
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	0.1	0.3	0.4	0.1	*	-	-	-	1.0
32	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	*	*	0.2	0.3	0.4	0.2	0.1	*	*	-	-	1.2
	4	-	-	-	-	*	0.1	0.2	0.2	0.2	0.1	*	*	-	-	0.8
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	*	*	*	0.2	0.6	0.7	0.5	0.2	0.1	*	-	-	2.3
42	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	*	0.1	0.5	1.4	2.4	2.0	0.4	*	*	-	-	6.8
	4	-	-	-	*	*	0.3	1.2	2.9	3.6	1.1	0.1	*	-	-	9.3
	5	-	-	-	*	*	*	0.2	0.6	1.1	0.6	0.1	*	-	-	2.8
	6	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	-	-	0.6
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
TOTAL----		-	-	-	*	0.1	0.9	3.0	6.1	6.9	2.4	0.4	*	-	-	19.8
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.4	0.2	*	*	-	-	-	1.0
	4	-	-	-	*	*	0.1	0.2	0.6	0.7	0.2	*	*	-	-	1.8
	5	-	-	-	*	*	*	0.1	0.3	0.6	0.4	0.1	*	-	-	1.4
	6	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	-	-	0.8
	7	-	-	-	-	-	*	*	*	*	0.1	0.1	*	-	-	0.2
TOTAL----		-	-	-	*	*	0.2	0.6	1.4	1.8	1.0	0.3	*	-	-	5.2

* Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER																
Bark - Level 1		*														
Bark - Level 2		-														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

785,508 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	0.2	1.3	4.9	13.1	26.7	11.2	3.2	0.5	61.1
	3	-	-	-	-	-	-	-	0.1	0.9	4.0	8.8	5.3	2.8	0.8	22.9
	4	-	-	-	-	-	-	-	-	-	0.2	0.5	0.5	0.2	0.1	1.5
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	0.3	1.4	5.8	17.4	36.0	17.1	6.2	1.4	85.6
31	1-2	-	-	-	-	-	-	-	0.2	0.4	0.6	1.2	0.4	0.1	-	2.9
	3	-	-	-	-	-	-	-	0.1	0.6	1.5	2.5	0.9	0.4	0.1	6.1
	4	-	-	-	-	-	-	-	-	0.1	0.3	0.5	0.4	0.2	0.1	1.4
	5	-	-	-	-	-	-	-	-	-	-	0.1	0.2	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	0.3	1.1	2.5	4.2	1.9	0.7	0.2	10.7
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	0.4
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	0.1	0.3	0.2	0.1	-	-	0.8
	3	-	-	-	-	-	-	-	-	0.1	0.3	0.2	0.3	0.1	-	0.9
	4	-	-	-	-	-	-	-	-	-	-	0.1	0.1	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	0.2	0.6	0.5	0.6	0.1	-	2.0
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	0.3
	4	-	-	-	-	-	-	-	-	-	-	-	0.1	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	0.1	0.1	0.2	0.2	-	-	0.7
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	0.1	-	-	-	0.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 13. -- **New Mexico** : Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY		March 27, 2006														
COLOR	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	0.1	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	-	*	0.1	0.1	*	*	*	-	0.2
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	0.1	0.2	*	*	*	-	0.4
33	1-2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.2
43	1-2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	*	0.3	1.7	7.4	20.9	41.2	19.9	7.0	1.6	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		0.1														
Other - Level 1		-														
			Average Staple 37.0													
			Percent Tenderable 90.7													

50,234 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	-	-	-	-	*	-	-	-	-	0.1
	3	-	-	*	*	*	0.2	0.3	0.2	0.1	*	-	-	-	-	0.9
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	-	1.1
31	1-2	-	-	*	*	*	-	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	*	0.1	0.7	2.1	3.9	4.7	2.7	0.7	0.1	*	*	*	15.1
	4	-	-	*	*	0.2	0.5	1.2	1.8	1.3	0.6	0.2	*	*	*	5.9
	5	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.4
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	0.2	0.9	2.7	5.2	6.7	4.1	1.3	0.4	*	*	*	21.5
41	1-2	-	-	*	*	*	-	-	-	-	*	-	-	-	-	*
	3	-	-	*	0.1	0.9	2.5	4.5	5.3	3.1	0.8	0.1	*	*	*	17.3
	4	-	-	*	0.1	0.4	1.7	4.4	7.1	5.6	2.1	0.5	0.1	*	*	22.0
	5	-	-	*	*	0.1	0.2	0.7	1.4	1.7	0.8	0.3	0.1	*	*	5.4
	6	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.7
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	TOTAL----	-	-	*	0.2	1.5	4.5	9.7	14.1	10.6	3.8	1.0	0.1	*	*	45.5
51	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	*	0.1	0.4	0.9	1.3	0.7	0.1	*	*	-	-	3.6
	4	-	-	*	*	0.1	0.5	1.5	2.7	2.3	0.8	0.2	*	*	*	8.2
	5	-	-	*	*	0.1	0.1	0.3	0.6	0.8	0.4	0.2	*	*	*	2.5
	6	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	TOTAL----	-	-	*	*	0.3	1.1	2.8	4.7	3.9	1.4	0.4	0.1	*	*	14.8
61	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
32	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	*	0.8
	4	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.1	0.3	0.5	0.4	0.2	0.1	*	*	*	*	1.6
42	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	0.2	0.5	0.8	0.6	0.2	0.1	*	-	-	-	2.4
	4	-	-	*	*	0.2	0.5	1.0	1.2	0.7	0.3	*	*	*	*	3.9
	5	-	-	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	*	1.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	0.4	1.1	2.0	2.1	1.3	0.5	0.1	*	*	*	7.6
52	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	0.1	0.4	0.6	0.5	0.2	*	*	*	*	*	1.9
	4	-	-	*	*	0.1	0.5	0.8	1.1	0.7	0.2	*	*	*	*	3.5
	5	-	-	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	*	1.2
	6	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	0.3	1.0	1.7	2.0	1.3	0.4	0.1	*	*	*	6.9

* Less than 0.05 percent.

Table 14. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	-	-	-	*	-	-	-
	4	-	-	-	-	-	*	*	*	-	-	-	*	-	-	-
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	-	*	*	*	-	-	-
33	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.2
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	-	*	-	-	*	-	-	-	*
All Colors	8 2/	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
TOTAL, ALL-----		-	-	0.1	0.5	3.8	11.1	22.3	30.4	21.7	7.6	2.1	0.3	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.2														
Bark - Level 2		-														
Grass - Level 1		0.5														
Grass - Level 2		-														
Prep - Level 1		0.2														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

763,708 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- **Oklahoma:** Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	0.1	0.2	1.2	5.9	10.5	8.4	5.6	1.6	0.3	*	33.8
	3	-	-	-	*	*	0.2	0.9	3.8	7.7	7.0	4.6	1.5	0.3	*	26.1
	4	-	-	-	-	*	*	0.1	0.4	0.7	0.7	0.4	0.1	*	*	2.6
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.1	0.5	2.2	10.1	19.0	16.1	10.8	3.2	0.6	*	62.7
31	1-2	-	-	-	*	*	*	0.2	0.5	0.9	0.7	0.4	0.1	*	*	2.8
	3	-	-	*	*	0.1	0.2	0.7	2.0	3.0	2.6	1.9	0.5	0.1	*	11.1
	4	-	-	*	*	0.1	0.1	0.3	1.0	1.5	1.3	1.1	0.4	0.1	*	5.9
	5	-	-	-	*	*	*	0.1	0.2	0.4	0.3	0.3	0.1	*	-	1.5
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	0.2	0.5	1.2	3.7	5.9	5.1	3.7	1.0	0.2	*	21.5
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	*	*	0.1	0.2	0.6	0.8	0.6	0.3	*	*	*	2.6
	4	-	-	-	*	*	0.2	0.4	0.7	0.9	0.7	0.5	0.1	*	*	3.5
	5	-	-	-	*	*	0.1	0.2	0.5	0.6	0.3	0.2	0.1	*	*	2.0
	6	-	-	-	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	-	0.7
	7	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
TOTAL----		-	-	-	*	0.1	0.3	0.9	2.1	2.6	1.9	1.1	0.3	*	*	9.3
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
TOTAL----		-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	-	0.5
	3	-	-	*	*	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	-	1.4
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	0.1	0.2	0.6	0.8	0.4	0.1	*	*	-	2.3
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	-	0.7
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.2	0.4	0.5	0.3	0.1	*	*	-	1.8
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	-	0.5
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*

* Less than 0.05 percent.

Table 15. -- **Oklahoma** : Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER		Average Staple														35.4
Bark - Level 1		Percent Tenderable														80.5
Bark - Level 2																
Grass - Level 1																
Grass - Level 2																
Prep - Level 1																
Prep - Level 2																
Other - Level 1																
Other - Level 1																

282,318 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	0.1	0.2	0.3	0.3	0.4	0.2	*	*	*	-	-	1.6
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	0.1	0.3	0.4	0.4	0.4	0.2	*	*	*	-	-	1.8
31	1-2	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	-	0.3
	3	-	-	*	0.3	2.0	3.7	6.1	7.4	3.9	1.0	0.2	*	*	-	24.6
	4	-	-	*	0.1	0.6	1.1	1.8	2.4	1.8	0.8	0.4	0.1	*	-	9.2
	5	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	0.4	2.6	5.0	8.1	9.9	5.8	1.9	0.6	0.1	*	-	34.4
41	1-2	-	-	-	*	*	*	*	*	-	-	-	-	-	-	0.1
	3	-	-	*	0.1	1.4	3.2	5.2	5.8	2.7	0.6	0.1	*	-	-	19.2
	4	-	-	*	0.1	0.9	2.2	4.4	6.2	4.3	1.9	0.8	0.1	*	-	21.0
	5	-	-	*	*	0.2	0.4	0.7	1.1	1.1	0.7	0.5	0.1	*	-	4.8
	6	-	-	*	*	*	*	0.1	0.2	0.2	0.1	0.1	*	-	-	0.8
	7	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.1
TOTAL----		-	-	*	0.3	2.5	5.8	10.5	13.4	8.3	3.4	1.5	0.2	*	-	46.0
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	-	0.8
	4	-	-	*	*	0.1	0.2	0.3	0.3	0.3	0.1	*	*	*	*	1.4
	5	-	-	-	*	*	0.1	0.1	0.1	0.2	0.1	*	*	-	-	0.7
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
TOTAL----		-	-	*	0.1	0.3	0.6	0.7	0.6	0.5	0.3	0.1	*	-	-	3.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	-	-	*	-	-	-	-	-	*
	3	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	-	0.2
	4	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	-	0.3
32	1-2	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	*	*	0.2	0.4	0.4	0.3	0.2	*	*	*	*	-	1.7
	4	-	-	*	*	0.2	0.4	0.5	0.4	0.2	0.1	*	*	-	-	2.0
	5	-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	*	0.1	0.5	0.9	1.0	0.9	0.4	0.2	*	*	*	-	4.0
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	0.2	0.5	0.5	0.4	0.2	0.1	*	*	-	-	1.9
	4	-	-	*	0.1	0.3	0.6	0.9	1.0	0.6	0.3	0.1	*	-	-	3.8
	5	-	-	*	*	0.1	0.1	0.3	0.4	0.3	0.1	*	*	-	-	1.5
	6	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	0.1	0.6	1.3	1.8	1.9	1.1	0.5	0.2	*	-	-	7.6
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	0.1	0.2	0.1	0.1	*	*	*	-	-	-	0.6
	4	-	-	*	*	0.1	0.2	0.2	0.2	0.1	0.1	*	*	-	-	0.9
	5	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	0.3	0.5	0.4	0.4	0.3	0.1	*	*	-	-	2.1

* Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	-	*	*	*	*	-	-	-	0.1
	4	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
TOTAL, ALL----		-	-	0.1	1.1	7.2	14.7	23.0	27.8	16.8	6.4	2.6	0.3	*	-	100.0
EXTRANEEOUS MATTER																Average Staple 33.6
Bark - Level 1		0.1														Percent Tenderable 55.2
Bark - Level 2		-														
Grass - Level 1		0.3														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 2		-														

148,603 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.6
	4	-	-	*	*	*	*	0.1	*	*	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	0.1	0.2	0.2	0.2	*	*	-	-	-	0.8
31	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	0.1	0.3	0.6	0.8	0.5	0.1	*	*	-	-	2.4
	4	-	-	*	*	0.1	0.2	0.5	0.7	0.5	0.2	*	*	-	-	2.2
	5	-	-	*	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	*	*	0.2	0.5	1.1	1.6	1.0	0.4	0.1	*	-	-	4.9
41	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	0.3	1.0	1.3	0.8	0.2	*	*	-	-	3.7
	4	-	-	*	*	*	0.2	1.0	1.9	1.6	0.7	0.2	*	-	-	5.6
	5	-	-	-	*	*	*	0.2	0.5	0.5	0.3	0.1	*	-	-	1.5
	6	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
TOTAL----		-	-	*	*	0.1	0.6	2.2	3.8	2.9	1.3	0.3	*	-	-	11.2
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	*	-	*	1.0
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	0.2	0.6	0.7	0.4	0.1	*	*	-	-	2.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	-	0.5
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	*	*	*	*	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	0.2	0.3	0.2	*	*	*	*	-	-	0.7
32	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	*	0.3	1.5	1.8	1.0	0.3	*	*	-	-	-	4.9
	4	-	-	*	*	0.1	0.6	0.9	0.6	0.2	*	*	*	-	-	2.5
	5	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	6	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	*	*	0.4	2.1	2.8	1.7	0.5	0.1	*	*	-	-	7.7
42	1-2	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	-	0.3
	3	-	-	*	*	0.9	5.5	7.1	4.2	1.2	0.2	*	*	-	-	19.1
	4	-	-	*	*	0.4	3.3	6.4	5.6	2.6	0.8	0.1	*	-	-	19.1
	5	-	-	-	*	*	0.4	0.9	1.1	0.7	0.3	0.1	*	-	-	3.5
	6	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	0.1	1.3	9.3	14.6	11.0	4.6	1.4	0.3	*	-	-	42.5
52	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	0.2	0.7	0.6	0.3	0.1	*	*	-	-	-	2.0
	4	-	-	-	*	0.2	0.7	1.1	0.9	0.4	0.1	*	-	-	-	3.5
	5	-	-	-	*	*	0.2	0.3	0.4	0.3	0.2	*	*	-	-	1.5
	6	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
TOTAL----		-	-	-	*	0.5	1.7	2.2	1.7	0.9	0.5	0.1	*	-	-	7.6

* Less than 0.05 percent

Table 17. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	0.1	0.3	0.3	0.1	*	*	*	*	*	*	0.8
	4	-	-	-	*	*	0.1	0.1	*	*	*	*	*	*	*	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	0.4	0.4	0.2	0.1	*	*	*	*	*	1.2
43	1-2	-	-	-	*	*	0.1	*	*	*	*	*	*	*	*	0.2
	3	-	-	*	*	0.8	3.4	3.1	1.2	0.2	*	*	*	*	*	8.7
	4	-	-	*	*	0.4	2.1	2.8	1.6	0.5	0.1	*	*	*	*	7.5
	5	-	-	-	*	*	0.2	0.3	0.3	0.1	*	*	*	*	*	1.0
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	0.1	1.2	5.8	6.3	3.1	0.9	0.2	*	*	*	*	17.5
53	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	0.1	0.4	0.3	0.1	*	*	*	*	*	*	1.0
	4	-	-	-	*	0.1	0.4	0.6	0.4	0.1	*	*	*	*	*	1.7
	5	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	*	0.3	0.9	1.1	0.7	0.3	0.1	*	*	*	*	3.5
63	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	0.1	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	*	*	0.1	0.1	*	*	*	*	*	*	*	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL-----		-	-	*	0.3	4.2	22.0	31.8	24.8	11.9	4.1	0.8	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		*														
Bark - Level 2		-														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

Average Staple 33.3
Percent Tenderable 17.1

586,576 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	*	*	0.3	1.2	3.7	7.9	11.1	10.9	2.8	0.6	*	38.6
	3	-	*	*	*	*	0.2	0.7	2.1	4.6	6.9	8.4	3.0	0.8	0.1	26.8
	4	-	-	-	*	*	*	*	0.1	0.3	0.3	0.4	0.1	*	*	1.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	*	*	*	0.1	0.5	2.0	6.0	12.8	18.4	19.7	5.9	1.4	0.1	66.9
31	1-2	-	-	*	*	*	*	0.1	0.3	0.6	0.5	0.3	0.1	*	*	2.1
	3	-	*	*	*	*	0.2	0.7	1.5	2.3	2.7	2.6	0.8	0.2	*	11.0
	4	-	*	*	*	*	0.1	0.2	0.5	0.7	0.7	0.8	0.4	0.1	*	3.6
	5	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.6
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	*	*	*	0.1	0.3	1.1	2.4	3.7	4.1	3.8	1.2	0.3	*	17.2
41	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	0.1	0.3	0.4	0.4	0.6	0.2	*	*	2.0
	4	-	-	*	*	*	*	0.2	0.4	0.5	0.7	1.7	0.8	0.1	*	4.4
	5	-	*	*	*	*	*	0.1	0.1	0.2	0.2	0.3	0.2	*	*	1.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	*	*	*	0.1	0.4	0.8	1.1	1.4	2.6	1.2	0.2	*	7.8
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	0.4	0.2	*	*	0.9
	5	-	-	*	*	*	*	*	*	*	0.1	0.3	0.1	*	*	0.6
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	*	0.1	0.1	0.1	0.2	0.8	0.3	*	*	1.7
61	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.6
	3	-	*	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	1.0
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	*	*	*	*	*	*	0.1	0.2	0.4	0.5	0.4	0.1	*	1.7
32	1-2	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.7
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	*	*	*	*	0.1	0.2	0.2	0.3	0.1	*	*	0.8
	5	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	*	*	*	0.1	0.2	0.3	0.4	0.1	*	*	1.3
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	0.1	0.2	0.3	*	*	*	0.7
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.6
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.2	0.4	0.5	0.1	*	*	1.4

* Less than 0.05 percent.

Table 18. — **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY		LEAF	STAPLE														TOTAL
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	*	-	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.2	
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
TOTAL----		-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2	
43	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4	
63	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	*	-	-	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
TOTAL, ALL-----		-	*	*	*	0.2	1.0	3.9	10.1	19.1	25.9	28.7	9.0	2.0	0.1	100.0	
EXTRANEEOUS MATTER																Average Staple	36.0
																Percent Tenderable	77.3
Bark - Level 1		7.0															
Bark - Level 2		"															
Grass - Level 1		0.1															
Grass - Level 2		"															
Prep - Level 1		0.1															
Prep - Level 2		"															
Other - Level 1		0.2															
Other - Level 1		"															

8,092,231 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- *Virginia* : Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	-	-	-	1.0
	4	-	-	-	-	-	-	*	*	-	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	-	-	-	1.1
31	1-2	-	-	-	-	-	-	-	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	*	0.3	2.7	7.0	8.7	4.8	1.7	0.4	*	-	-	25.7
	4	-	-	-	*	0.1	0.6	1.8	3.4	2.8	1.4	0.4	*	*	-	10.5
	5	-	-	-	-	-	-	*	*	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.4	3.3	9.0	12.3	7.7	3.2	0.8	*	*	-	36.7
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	0.2	2.0	5.5	5.0	2.4	0.8	0.3	*	-	-	16.3
	4	-	-	-	*	0.1	1.3	4.8	6.0	4.7	1.8	0.5	*	*	-	19.3
	5	-	-	-	*	-	0.1	0.3	0.5	0.7	0.5	0.2	*	*	-	2.4
	6	-	-	-	-	*	*	*	*	0.1	0.1	*	-	-	-	0.3
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	*	*	0.4	3.4	10.6	11.5	7.9	3.2	1.1	0.1	*	-	38.2
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	0.4	1.4	1.4	0.8	0.3	*	*	-	-	4.3
	4	-	-	-	-	*	0.1	0.8	1.7	2.0	1.2	0.6	0.1	-	*	6.4
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	0.5
	6	-	-	-	-	-	-	*	*	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.5	2.1	3.2	2.9	1.6	0.7	0.1	-	-	11.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	-	*	-	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	0.1
32	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-
	3	-	-	-	*	*	0.2	0.3	0.3	0.1	*	*	-	-	-	0.9
	4	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.5
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.3	0.5	0.5	0.2	0.1	*	*	-	-	1.6
42	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	0.2	0.6	0.5	0.3	*	*	-	-	-	1.7
	4	-	-	-	-	*	0.3	0.9	0.7	0.4	0.1	*	-	-	-	2.3
	5	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	0.1	0.5	1.5	1.3	0.7	0.2	*	-	-	-	4.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	0.1	0.8	1.1	0.5	0.1	*	-	-	-	2.7
	4	-	-	-	-	*	0.1	0.5	1.3	1.0	0.3	*	*	-	-	3.3
	5	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.2	1.3	2.4	1.7	0.5	0.1	*	-	-	6.2

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
March 27, 2008

QUALITY		LEAF	STAPLE														
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.2	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL-----		-	-	-	-	1.0	8.4	25.4	31.7	21.5	9.0	2.8	0.1	-	-	100.0	
EXTRANEEOUS MATTER																Average Staple	34.0
Bark - Level 1		0.2														Percent Tenderable	46.9
Bark - Level 2		-															
Grass - Level 1		1.4															
Grass - Level 2		-															
Prep - Level 1		-															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

95,890 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through
March 27, 2008

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
MIKE 24 & below	*	*	-	*	-	-	-	*	*
25	*	0.1	-	*	-	*	-	-	*
26	0.1	0.1	-	*	-	*	*	-	*
27	0.3	0.1	-	*	*	*	0.3	*	*
28	0.6	0.1	*	*	*	*	0.7	*	*
29	1.1	0.1	*	0.1	*	*	1.3	*	*
30	1.5	0.1	*	0.1	*	*	1.7	*	0.1
31	2.0	0.2	*	0.2	*	*	1.7	*	0.2
32	2.4	0.2	0.1	0.2	*	*	2.2	*	0.3
33	2.7	0.3	0.2	0.3	*	0.1	3.7	*	0.6
34	2.8	0.4	0.4	0.6	0.1	0.1	4.8	*	0.9
35	2.8	0.6	0.9	1.0	0.1	0.2	5.9	*	1.2
36	3.0	0.8	1.5	1.5	0.3	0.3	6.0	*	1.6
37	3.1	1.2	2.4	2.3	0.5	0.4	6.1	0.1	2.0
38	3.2	1.7	3.6	3.3	0.7	0.6	5.7	0.2	2.5
39	3.4	2.7	4.8	4.6	1.0	1.0	7.3	0.4	3.2
40	3.5	3.7	5.9	5.9	1.5	1.5	6.9	0.8	4.1
41	3.8	5.0	6.9	7.9	2.1	2.3	7.6	1.2	5.0
42	4.2	6.5	7.8	9.9	2.9	3.3	7.8	2.3	6.2
43	4.7	7.0	8.9	11.3	4.2	4.8	9.2	4.3	7.5
44	5.1	7.7	9.3	12.3	5.1	6.6	7.2	7.2	8.7
45	5.8	8.6	9.6	11.9	6.1	8.6	5.1	10.9	9.8
46	6.8	9.3	9.4	10.7	7.9	11.2	3.6	15.4	10.6
47	7.4	10.0	8.6	7.0	10.4	13.2	1.9	17.9	10.4
48	7.4	9.9	7.2	4.3	13.0	14.1	1.6	16.7	9.1
49	6.8	9.1	5.6	2.5	13.8	12.4	0.8	12.0	6.8
50	5.9	6.8	3.6	1.3	12.5	9.0	0.5	6.2	4.5
51	4.4	4.1	1.9	0.5	8.6	5.5	0.2	2.9	2.5
52	2.8	2.1	1.0	0.2	5.0	2.8	*	1.0	1.3
53	1.4	1.0	0.4	0.1	2.7	1.3	-	0.2	0.6
54	0.6	0.4	0.1	*	0.8	0.4	*	0.1	0.2
55	0.3	0.1	*	*	0.3	0.1	-	*	*
56	0.1	*	*	*	0.1	*	-	*	*
57	*	-	*	-	*	*	-	*	*
58	*	-	*	-	*	*	-	*	*
59	-	-	*	-	-	*	-	-	-
60 & above	-	-	-	-	-	*	-	-	-
Average mike	43	45	44	43	48	47	40	47	45
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	*
18	-	-	-	-	-	-	-	*	*
19	*	-	*	-	-	-	-	*	*
20	*	*	*	*	*	-	-	-	*
21	0.1	*	*	*	*	*	-	*	*
22	0.5	*	*	*	*	*	-	*	*
23	2.0	0.1	0.1	*	0.3	0.2	*	0.2	0.2
24	4.7	0.3	0.5	*	1.1	0.9	0.1	1.0	0.8
25	8.2	1.0	1.6	*	3.7	2.7	0.6	3.8	2.9
26	12.4	3.2	4.3	0.2	8.8	6.7	2.5	11.6	7.5
27	16.1	7.2	9.4	1.0	15.3	13.7	10.2	20.8	14.8
28	16.7	14.7	17.3	2.2	19.7	21.9	22.7	22.3	21.3
29	15.3	22.4	24.7	4.2	20.6	24.9	20.6	18.8	22.2
30	11.5	22.9	23.3	6.1	16.4	17.7	15.4	12.1	16.2
31	6.9	15.9	12.5	7.1	9.2	8.3	11.4	6.2	8.8
32	3.3	7.7	4.5	9.4	3.6	2.6	9.8	2.3	3.8
33	1.4	3.2	1.2	20.1	1.0	0.3	5.2	0.6	0.9
34	0.6	1.1	0.4	27.9	0.3	0.1	1.1	0.2	0.3
35	0.1	0.3	0.1	16.0	*	0.1	0.3	*	0.1
36 & above	0.1	*	*	5.7	*	*	*	*	*
Average strength	27.9	29.5	29.1	33.0	28.5	28.6	29.4	28.2	28.6

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through
March 27, 2008

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE 24 & below	*	0.1	*	*	*	*	*	-	*
25	*	*	*	*	*	*	0.1	-	*
26	*	*	*	0.1	*	*	0.1	-	0.1
27	*	0.1	*	0.1	*	*	0.2	-	0.1
28	*	0.1	*	0.2	*	*	0.3	-	0.2
29	*	0.2	*	0.2	0.1	0.1	0.5	-	0.3
30	0.1	0.3	*	0.4	0.1	0.3	0.7	-	0.4
31	0.2	0.7	*	0.6	0.2	0.6	1.0	*	0.6
32	0.4	1.3	0.1	0.9	0.4	1.2	1.4	*	0.8
33	0.7	1.8	0.1	1.3	0.5	2.1	2.0	*	1.2
34	1.2	2.6	0.2	1.7	0.6	3.3	2.6	*	1.6
35	2.1	2.9	0.3	2.3	1.0	5.1	3.4	*	2.2
36	3.0	3.8	0.5	3.1	1.6	6.8	4.1	0.1	2.8
37	4.0	4.7	0.8	4.1	2.2	8.2	4.9	0.1	3.4
38	5.3	6.0	1.2	5.0	3.0	8.9	5.7	0.2	4.2
39	6.8	6.6	1.8	5.5	3.5	9.2	6.5	0.5	4.9
40	8.0	9.1	2.6	6.4	4.0	9.1	7.2	0.8	5.7
41	9.0	10.2	3.5	7.7	4.7	8.5	8.0	1.5	6.5
42	9.5	12.1	4.5	8.5	5.8	7.8	8.4	2.2	7.2
43	9.6	10.0	5.8	8.6	6.4	6.7	8.4	3.1	7.7
44	9.0	8.3	7.1	8.4	7.1	5.7	7.9	4.3	8.0
45	8.2	7.4	8.2	7.9	8.1	4.4	7.2	5.6	8.1
46	7.0	5.4	9.1	7.1	9.2	3.5	6.0	7.0	7.9
47	5.3	3.5	9.6	6.5	9.6	2.7	4.7	9.5	7.4
48	3.9	1.6	9.8	5.5	9.2	2.0	3.5	10.8	6.4
49	2.9	0.7	9.7	3.8	7.7	1.4	2.4	10.5	5.1
50	1.9	0.2	8.6	2.4	5.6	1.0	1.4	10.1	3.4
51	1.1	0.1	6.6	1.1	3.9	0.6	0.7	10.1	2.0
52	0.5	*	4.5	0.4	2.7	0.4	0.3	8.5	1.1
53	0.2	*	2.8	0.2	1.5	0.1	0.1	6.4	0.5
54	*	-	1.5	0.2	0.9	*	0.1	4.5	0.2
55	*	-	0.6	*	0.4	*	*	2.4	0.1
56	*	-	0.2	*	0.1	*	*	1.2	*
57	-	-	*	*	*	*	*	0.4	*
58	-	-	*	*	*	-	*	*	*
59	-	-	-	-	-	-	*	-	*
60 & above	-	-	-	-	-	-	-	-	*
Average mike	42	41	47	42	45	40	41	49	46
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	*
18	-	-	-	-	-	*	*	-	*
19	*	-	-	-	-	*	*	-	*
20	*	*	*	*	*	*	*	-	*
21	*	*	*	*	0.1	0.2	*	-	*
22	0.1	*	0.1	*	0.6	1.0	*	*	0.1
23	0.4	0.1	0.4	*	1.6	3.7	0.1	0.1	0.3
24	1.1	0.4	1.0	0.1	3.3	8.6	0.3	0.3	0.9
25	2.2	1.7	2.4	0.3	6.4	13.1	1.3	1.0	2.3
26	4.2	4.7	5.3	1.7	10.0	15.9	4.0	3.4	5.3
27	8.0	9.7	10.6	6.1	14.5	16.6	9.3	9.3	10.6
28	13.6	14.5	17.4	13.4	18.2	15.3	15.4	18.4	16.4
29	19.0	18.1	21.5	20.6	17.8	12.2	19.5	23.2	20.0
30	21.4	16.7	19.5	22.8	13.6	7.7	19.7	19.5	18.4
31	16.4	13.8	12.7	18.1	8.0	3.7	15.8	13.6	12.8
32	8.9	9.6	6.1	10.6	3.9	1.4	9.3	6.9	6.9
33	3.5	5.9	2.3	4.4	1.5	0.4	3.9	3.1	3.2
34	1.0	3.0	0.6	1.5	0.5	0.1	1.2	1.0	1.8
35	0.2	1.4	0.1	0.4	0.1	*	0.3	0.2	0.8
36 & above	*	0.3	*	0.1	*	*	*	*	0.2
Average strength	29.4	29.7	29.0	29.9	28.2	27.0	29.5	29.3	29.2

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through March 27, 2008

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	*	-	-	-
73.5-74.4	-	-	-	-	-	*	-	*	-
74.5-75.4	*	*	*	*	*	*	*	*	*
75.5-76.4	0.4	0.1	*	*	0.1	0.1	*	*	*
76.5-77.4	2.7	0.5	0.1	*	0.9	1.7	0.1	0.6	0.7
77.5-78.4	9.7	2.8	1.0	0.4	5.5	7.3	1.6	4.8	3.7
78.5-79.4	22.9	12.4	5.3	2.3	19.0	20.7	9.9	19.7	12.2
79.5-80.4	29.9	27.7	16.5	8.7	32.8	34.6	26.4	30.1	24.6
80.5-81.4	22.1	33.2	35.4	21.9	27.3	23.9	34.2	24.2	30.2
81.5-82.4	9.8	18.6	33.8	32.6	11.3	8.9	23.7	14.6	22.0
82.5-83.4	2.2	4.3	7.3	17.5	2.8	2.7	3.9	5.2	6.2
83.5-84.4	0.3	0.4	0.5	13.1	0.4	0.2	0.1	0.7	0.4
84.5-85.4	*	*	*	3.2	*	*	*	*	*
85.5-86.4	-	-	-	0.2	-	*	-	-	-
86.5-87.4	-	-	-	*	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	80.0	80.7	81.2	82.1	80.3	80.1	80.8	80.4	80.7
TRASH 2/									
0.0	*	*	-	*	-	-	-	-	-
0.1	0.3	43.4	*	30.5	*	0.5	1.3	*	*
0.2	5.6	31.8	1.6	42.3	3.4	11.1	10.4	2.7	1.8
0.3	20.5	12.3	8.9	17.2	18.5	28.7	20.6	13.9	8.9
0.4	23.2	5.4	17.6	5.8	27.6	27.3	19.8	23.6	16.6
0.5	19.6	2.5	20.7	2.1	24.2	17.0	14.5	23.0	20.0
0.6	12.9	1.3	18.8	1.0	14.3	8.5	9.9	16.3	18.4
0.7	7.4	0.9	13.1	0.5	6.5	3.7	6.7	9.7	13.7
0.8	4.4	0.6	8.6	0.2	3.2	1.7	4.7	5.4	9.4
0.9	2.3	0.4	4.3	0.1	1.1	0.7	3.4	2.3	4.4
1.0	1.4	0.3	2.8	0.1	0.6	0.4	2.5	1.4	2.9
1.1	0.9	0.2	1.7	*	0.3	0.2	1.9	0.8	1.9
1.2	0.6	0.2	1.0	*	0.1	0.1	1.3	0.5	1.1
1.3	0.3	0.2	0.4	*	*	0.1	0.9	0.2	0.4
1.4	0.2	0.1	0.2	*	*	*	0.7	0.1	0.3
1.5	0.1	0.1	0.1	*	*	*	0.5	*	0.2
1.6	0.1	0.1	*	*	*	*	0.3	*	0.1
1.7	*	0.1	*	*	*	*	0.2	*	*
1.8 & above	0.1	0.2	*	*	*	*	0.5	*	*
Average trash	0.49	0.22	0.59	0.22	0.47	0.41	0.52	0.52	0.59

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through March 27, 2008

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	*	-	*
72.5-73.4	-	-	-	-	-	-	*	-	*
73.5-74.4	-	-	-	*	-	*	*	-	*
74.5-75.4	*	-	-	*	-	*	*	-	*
75.5-76.4	*	*	0.1	0.1	0.2	0.4	0.1	-	0.1
76.5-77.4	0.2	0.4	0.4	0.4	1.4	2.3	0.8	*	0.8
77.5-78.4	1.3	1.6	2.4	2.4	8.9	8.3	3.6	0.4	3.7
78.5-79.4	5.9	8.2	8.7	8.6	24.1	20.1	11.4	2.7	11.9
79.5-80.4	18.0	25.0	19.9	21.7	29.3	30.8	24.6	11.1	24.2
80.5-81.4	32.2	34.1	30.4	34.3	22.4	24.6	31.1	28.8	29.8
81.5-82.4	30.6	22.0	26.4	24.7	10.5	10.7	20.1	34.7	21.0
82.5-83.4	10.6	7.8	10.3	6.9	2.8	2.5	6.8	18.5	6.8
83.5-84.4	1.1	0.9	1.4	0.8	0.3	0.3	1.2	3.6	1.3
84.5-85.4	*	*	*	*	*	*	0.1	0.2	0.2
85.5-86.4	-	-	-	-	-	-	*	-	*
86.5-87.4	-	-	-	-	-	-	-	-	*
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.2	80.9	81.0	80.9	80.1	80.1	80.8	81.7	80.8
TRASH 2/									
0.0	-	*	*	*	-	-	*	*	*
0.1	0.9	46.7	0.2	17.2	0.3	0.1	25.2	0.2	14.2
0.2	5.9	36.2	4.7	36.1	6.4	4.0	34.1	5.3	20.7
0.3	13.0	11.7	15.9	19.6	22.0	16.2	16.7	21.3	16.2
0.4	18.4	3.7	21.0	10.4	24.5	24.5	8.6	26.4	14.3
0.5	17.5	1.0	19.6	6.0	18.2	21.6	5.4	21.6	11.8
0.6	13.5	0.3	15.0	3.7	11.9	15.4	3.7	13.2	8.7
0.7	8.8	0.2	9.7	2.4	6.9	8.4	2.5	6.6	5.6
0.8	6.4	*	5.9	1.5	4.1	4.6	1.5	3.0	3.5
0.9	4.6	*	3.3	1.0	2.3	2.3	0.9	1.3	1.8
1.0	3.5	*	1.9	0.7	1.3	1.2	0.5	0.6	1.2
1.1	2.6	-	1.2	0.4	0.9	0.8	0.3	0.3	0.7
1.2	1.9	-	0.7	0.3	0.5	0.4	0.2	0.2	0.5
1.3	1.2	-	0.3	0.2	0.3	0.2	0.1	0.1	0.2
1.4	0.8	-	0.2	0.1	0.2	0.1	0.1	*	0.2
1.5	0.5	*	0.1	0.1	0.1	0.1	0.1	*	0.1
1.6	0.2	-	0.1	0.1	0.1	*	*	*	*
1.7	0.1	-	*	0.1	*	*	*	*	*
1.8 & above	0.2	*	0.1	0.1	0.1	*	0.1	*	0.1
Average trash	0.58	0.18	0.53	0.31	0.48	0.50	0.28	0.46	0.39

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through March 27, 2008

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	16.6	28.0	-	24.3	27.5
	2	20.4	14.7	-	9.0	14.5
	3	0.2	0.1	-	-	0.1
	4	-	*	-	-	*
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		37.2	42.8	-	33.3	42.1
02	1	3.2	10.6	-	20.9	11.0
	2	52.0	36.8	-	41.3	37.3
	3	3.8	4.8	-	1.9	4.8
	4	*	0.2	-	*	0.2
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		59.1	52.4	-	64.1	53.2
03	1	*	0.1	-	0.1	0.1
	2	2.3	2.0	-	1.8	2.0
	3	0.5	1.2	-	0.6	1.2
	4	-	0.2	-	0.1	0.2
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		2.8	3.6	-	2.5	3.5
04	1	-	*	-	*	*
	2	0.1	0.4	-	*	0.4
	3	*	0.4	-	*	0.3
	4	-	0.1	-	*	0.1
	5	-	*	-	*	*
	6	-	*	-	*	*
	7	-	*	-	*	*
Total -----		0.1	0.9	-	0.1	0.9
05	1	-	*	-	-	*
	2	-	0.1	-	-	0.1
	3	-	0.1	-	-	0.1
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	0.3	*	-	-	*
	7	*	*	-	-	*
Total -----		0.3	0.2	-	-	0.2
06	1	-	*	-	-	*
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	*	*	-	-	*
	7	0.4	*	-	-	*
Total -----		0.4	*	-	-	*
07	1	-	-	-	-	-
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	*	-	-	*
STAPLE						
40 & shorter		-	*	-	-	*
42		-	*	-	-	*
44		5.9	6.3	-	5.7	6.3
46		50.0	48.2	-	57.8	48.7
48 & longer		44.1	45.5	-	36.5	45.0
Average		46.8	46.8	-	46.6	46.8
UNIFORMITY						
72.4 & below		-	-	-	-	-
72.5-73.4		-	-	-	-	-
73.5-74.4		-	-	-	-	-
74.5-75.4		-	-	-	-	-
75.5-76.4		-	-	-	-	-
76.5-77.4		-	-	-	-	-
77.5-78.4		-	-	-	-	-
78.5-79.4		-	*	-	-	*
79.5-80.4		-	*	-	-	*
80.5-81.4		-	0.1	-	*	0.1
81.5-82.4		0.3	0.9	-	*	0.8
82.5-83.4		2.3	4.3	-	0.1	4.1
83.5-84.4		12.8	21.6	-	3.4	20.5
84.5-85.4		43.3	48.0	-	26.4	46.7
85.5-86.4		34.2	20.7	-	64.9	23.3
86.5-87.4		6.5	3.9	-	5.0	4.1
87.5-88.4		0.7	0.3	-	0.1	0.3
88.5-89.4		-	*	-	*	*
89.5 & above		-	-	-	-	-
Average		85.3	85.0	-	85.7	85.0
BALES CLASSED		4,443	765,589	-	42,209	822,576

* Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through March 27, 2008

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	*	-	-	*
25 - 26	-	*	-	-	*
27 - 29	-	0.3	-	*	0.3
30 - 32	-	1.4	-	0.2	1.3
33 - 34	0.3	1.2	-	1.3	1.2
35 - 36	7.9	3.6	-	4.0	3.6
37 - 42	74.5	73.8	-	34.2	71.4
43 - 49	17.3	19.7	-	60.2	22.1
50 - 52	-	*	-	*	*
53 & above	-	-	-	-	-
Average	40	40	-	43	41
ALL MIKE					
24 & below	-	*	-	-	*
25	-	*	-	-	*
26	-	*	-	-	*
27	-	*	-	*	*
28	-	0.1	-	*	0.1
29	-	0.2	-	-	0.2
30	-	0.3	-	-	0.3
31	-	0.5	-	0.1	0.5
32	-	0.6	-	0.1	0.5
33	-	0.6	-	0.4	0.6
34	0.3	0.7	-	0.8	0.7
35	1.8	1.2	-	1.7	1.2
36	6.1	2.4	-	2.3	2.4
37	8.3	4.5	-	2.4	4.4
38	10.8	8.2	-	2.7	7.8
39	11.0	13.7	-	4.2	13.1
40	13.1	17.5	-	7.0	16.8
41	14.4	16.7	-	8.3	16.2
42	16.8	13.2	-	9.5	13.0
43	12.1	9.2	-	12.3	9.4
44	4.5	5.9	-	10.6	6.2
45	0.6	3.2	-	13.5	3.8
46	*	1.1	-	13.6	1.8
47	-	0.2	-	8.2	0.7
48	-	0.1	-	1.9	0.2
49	-	*	-	0.1	*
50	-	*	-	*	*
51	-	-	-	-	-
52	-	-	-	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average	40	40	-	43	41
Strength ,					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	*	-	-	*
30	-	*	-	-	*
31	-	*	-	-	*
32	-	*	-	-	*
33	0.1	0.1	-	*	0.1
34	0.3	0.2	-	*	0.2
35	2.7	0.7	-	0.1	0.7
36	7.0	1.5	-	0.5	1.5
37	13.0	3.4	-	0.7	3.3
38	19.9	8.4	-	2.3	8.1
39	22.9	14.7	-	8.3	14.4
40	16.4	18.6	-	18.0	18.5
41	9.7	19.1	-	25.6	19.4
42	4.5	15.7	-	18.0	15.8
43	2.3	9.9	-	15.0	10.2
44	0.9	4.9	-	9.1	5.1
45 & above	0.3	2.8	-	2.6	2.8
Average	38.9	40.6	-	41.4	40.6
EXTRANEEOUS MATTER					
Bark	0.8	0.1	-	0.4	0.1
Grass	1.4	0.2	-	0.2	0.2
Spindle Twist	0.2	*	-	*	*
Preparation	-	0.2	-	*	0.2

* Less than 0.05 percent

1022616819